BFV-300



Next Generation Butterfly Valve

Pure Performance

The BFV-300 Butterfly Valve is part of Tyco's extensive range of fire protection solutions. As a single source for fire protection products, you can count on Johnson Controls for it's worldwide reputation for quality in design, engineering, testing and performance.

NEXT GENERATION BUTTERFLY VALVE


The BFV-300 combines unique new features into our best butterfly valve yet. Its more compact size means greater flexibility for connection locations. Its smarter, simpler design means more efficient installation, easier operation and long-term performance.

- 300 psi rating
- A full range of sizes from 2" to 12" (DN50 – DN300)
- Suitable for new installations or upgrades in virtually any system

EVERYTHING YOU NEED IN A LIGHTER, MORE COMPACT PACKAGE

Traveling nut gearbox design reduces gearbox size and overall weight of the valve compared to traditional worm-operated and segmented gearboxes.

- 50% smaller gearbox on average than conventional gearboxes
- 40% lighter valve on average than traditional gearboxes on the market



INSTANT ACCESS TO PRODUCT INFORMATION



Scan for more information
QR code printed on BFV-300 housing enables quick, on-site access to data sheets, installation instructions and collateral material.



Point smart device at QR code and scan.



Select and view document from landing page.

BFV-300 ADVANTAGES

1. **Tapping boss** – locations save time with easy and fast connections to deluge valve.
2. **Compact design** – traveling nut gearbox uses a single moving part, allowing for a smaller, more compact design that is easier to handle, install and operate.
3. **QR code** – printed on valve housing for instant, on-site access to digital product information.
4. **Complete range of options** – including supervisory open version to isolate the alarm valve and supervisory closed version for by-pass system.
5. **Exchangeable** – can directly replace other butterfly valves.
6. **Grooved or wafer connection** – for installation on a range of systems.



Wafer option


7. **Fully approved globally** for greater assurance.*

See technical data sheet for latest approval details


* All approval logos: UL, FM, CE, CNPP, VDS, and TP are trademarks of their respective owners

TAPPING BOSS BENEFITS





Old Solution



BFV-300 (New Solution)

Tapping boss locations save time by allowing for quick upstream direct connection to deluge valve and downstream connection of additional components, or drainage for a dry maintenance

Reduces installation time.

No need for a tapping saddle to connect the prime line to the pipe.

Allows for pre-trimmed, direct connection of prime line to butterfly valve.

Downstream boss can be used as a drain port to efficiently drain the system for maintenance.

About Johnson Controls' Building Technologies and Solutions

Johnson Controls' Building Technologies & Solutions is making the world safer, smarter and more sustainable – one building at a time. Our technology portfolio integrates every aspect of a building – whether security systems, energy management, fire suppression or HVACR – to ensure that we exceed customer expectations at all times. We operate in more than 150 countries through our unmatched network of branches and distribution channels, helping building owners, operators, engineers and contractors enhance the full lifecycle of any facility. Our arsenal of brands includes some of the most trusted names in the industry, such as Tyco®, YORK®, Metasys®, Ruskin®, Frick®, PENN®, Sabroe®, Simplex® and Grinnell®.

For more information, visit www.johnsoncontrols.com or follow @JCI_Buildings on Twitter.

North America
1400 Pennbrook Parkway,
Lansdale, PA, 19446, USA
Tel: +1 215-362-0700
Tel: +1 800-558-5236

Europe
Kopersteden 1
Enschede, Overijssel 7547 TJ
The Netherlands
Tel: +31 (0) 53 428 4444

Middle East
Internet City, Office Park Building,
Block D, Floor 3
Dubai, United Arab Emirates
Tel: +971 4455 0700

Asia Pacific
2 Serangoon North Avenue 5
#07-01
Singapore 554911
Tel: +65 6577 4360

© 2018 Johnson Controls. All rights reserved. TFP2015022 - Mar/2018