UL Product iQ®

UL Solutions

WF-5x3x10HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-5x3x10HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
300 (1,136)	5	3	82 (565)	138 (951)	2800	217 (1,496)
300 (1,136)	5	3	92 (634)	154 (1,061)	2950	242 (1,668)
300 (1,136)	5	3	95 (655)	159 (1,096)	3000	242 (1,668)
450 (1,703)	5	3	77 (530)	134 (923)	2800	217 (1,496)
450 (1,703)	5	3	86 (592)	149 (1,027)	2950	242 (1,668)
450 (1,703)	5	3	90 (620)	155 (1,068)	3000	242 (1,668)
450 (1,703)	5	3	123 (848)	207 (1,427)	3500	290 (1,999)
300 (1,136)	5	3	128 (882)	212 (1,461)	3500	290 (1,999)
500 (1,892)	5	3	74 (510)	132 (910)	2800	217 (1,496)
500 (1,892)	5	3	82 (565)	146 (1,006)	2900	217 (1,496)
500 (1,892)	5	3	84 (579)	147 (1,013)	2950	242 (1,668)
500 (1,892)	5	3	87 (599)	153 (1,054)	3000	242 (1,668)
500 (1,892)	5	3	121 (834)	206 (1,420)	3500	290 (1,999)
400 (1,514)	5	3	79 (544)	135 (930)	2800	217 (1,496)
400 (1,514)	5	3	86 (592)	148 (1,020)	2900	217 (1,496)
400 (1,514)	5	3	88 (606)	151 (1,041)	2950	242 (1,668)
400 (1,514)	5	3	92 (634)	156 (1,075)	3000	242 (1,668)
400 (1,514)	5	3	125 (861)	209 (1,441)	3500	290 (1,999)

UL Product iQ®

UL Solutions

WF-6x3x14HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-6x3x14HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
400 (1,514)	6	3	196 (1,351)	226 (1,558)	2950	325 (2,240)
400 (1,514)	6	3	203 (1,399)	234 (1,613)	3000	325 (2,240)
500 (1,892)	6	3	188 (1,296)	215 (1,482)	2950	325 (2,240)
500 (1,892)	6	3	195 (1,344)	224 (1,544)	3000	325 (2,240)

UL Product iQ®

UL Solutions

WF-6x4x10 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-6x4x10 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
1,000 (3,785)	6	4	138 (951)	138 (951)	2950	230 (1,585)
1,000 (3,785)	6	4	143 (985)	143 (985)	3000	230 (1,585)
1,000 (3,785)	6	4	113 (779)	196 (1,351)	3500	275 (1,896)
1,000 (3,785)	6	4	118 (813)	203 (1,399)	3560	275 (1,896)
400 (1,514)	6	4	80 (551)	125 (861)	2800	230 (1,585)
400 (1,514)	6	4	86 (592)	134 (923)	2900	230 (1,585)
400 (1,514)	6	4	89 (613)	139 (958)	2950	230 (1,585)
400 (1,514)	6	4	92 (634)	143 (985)	3000	230 (1,585)
400 (1,514)	6	4	126 (868)	197 (1,358)	3500	275 (1,896)
400 (1,514)	6	4	130 (896)	204 (1,406)	3560	275 (1,896)
450 (1,703)	6	4	79 (544)	126 (868)	2800	230 (1,585)
450 (1,703)	6	4	85 (586)	135 (930)	2900	230 (1,585)
450 (1,703)	6	4	88 (606)	139 (958)	2950	230 (1,585)
450 (1,703)	6	4	91 (627)	144 (992)	3000	230 (1,585)
450 (1,703)	6	4	125 (861)	197 (1,358)	3500	275 (1,896)
450 (1,703)	6	4	129 (889)	204 (1,406)	3560	275 (1,896)
500 (1,892)	6	4	79 (544)	126 (868)	2800	230 (1,585)
500 (1,892)	6	4	85 (586)	135 (930)	2900	230 (1,585)
500 (1,892)	6	4	88 (606)	139 (958)	2950	230 (1,585)
500 (1,892)	6	4	91 (627)	144 (992)	3000	230 (1,585)
500 (1,892)	6	4	125 (861)	197 (1,358)	3500	275 (1,896)
500 (1,892)	6	4	129 (889)	204 (1,406)	3560	275 (1,896)
750 (2,839)	6	4	76 (524)	126 (868)	2800	230 (1,585)
750 (2,839)	6	4	82 (565)	136 (937)	2900	230 (1,585)
750 (2,839)	6	4	85 (586)	140 (965)	2950	230 (1,585)
750 (2,839)	6	4	88 (606)	145 (999)	3000	230 (1,585)
750 (2,839)	6	4	122 (841)	199 (1,372)	3500	275 (1,896)
750 (2,839)	6	4	127 (875)	206 (1,420)	3560	275 (1,896)

UL Product iQ®

UL Solutions

WF-6x4x12HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-6x4x12HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
400 (1,514)	6	4	129 (889)	173 (1,192)	2600	300 (2,068)
400 (1,514)	6	4	150 (1,034)	201 (1,385)	2800	310 (2,137)
400 (1,514)	6	4	146 (1,006)	223 (1,537)	2950	310 (2,137)
400 (1,514)	6	4	151 (1,041)	230 (1,585)	3000	310 (2,137)
400 (1,514)	6	4	206 (1,420)	309 (2,130)	3500	385 (2,654)
450 (1,703)	6	4	128 (882)	173 (1,192)	2600	310 (2,137)
450 (1,703)	6	4	149 (1,027)	201 (1,385)	2800	310 (2,137)
450 (1,703)	6	4	146 (1,006)	223 (1,537)	2950	310 (2,137)
450 (1,703)	6	4	151 (1,041)	230 (1,585)	3000	310 (2,137)
450 (1,703)	6	4	206 (1,420)	308 (2,123)	3500	385 (2,654)
500 (1,892)	6	4	127 (875)	173 (1,192)	2600	310 (2,137)
500 (1,892)	6	4	148 (1,020)	201 (1,385)	2800	310 (2,137)
500 (1,892)	6	4	145 (999)	223 (1,537)	2950	310 (2,137)
500 (1,892)	6	4	150 (1,034)	231 (1,592)	3000	310 (2,137)
500 (1,892)	6	4	206 (1,420)	309 (2,130)	3500	385 (2,654)
750 (2,839)	6	4	121 (834)	171 (1,179)	2600	310 (2,137)
750 (2,839)	6	4	143 (985)	199 (1,372)	2800	310 (2,137)
750 (2,839)	6	4	139 (958)	222 (1,530)	2950	310 (2,137)
750 (2,839)	6	4	144 (992)	229 (1,578)	3000	310 (2,137)
750 (2,839)	6	4	200 (1,378)	308 (2,123)	3500	385 (2,654)
1,000 (3,785)	6	4	134 (923)	194 (1,337)	2800	310 (2,137)
1,000 (3,785)	6	4	144 (992)	199 (1,372)	2900	310 (2,137)
1,000 (3,785)	6	4	129 (889)	216 (1,489)	2950	310 (2,137)
1,000 (3,785)	6	4	134 (923)	224 (1,544)	3000	310 (2,137)
1,000 (3,785)	6	4	209 (1,441)	310 (2,137)	3500	310 (2,137)

UL Product iQ®

UL Solutions

WF-6x4x17 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-6x4x17 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
1,000 (3,785)	6	4	203 (1,399)	259 (1,785)	2800	390 (2,688)
1,000 (3,785)	6	4	222 (1,530)	281 (1,937)	2900	390 (2,688)
1,000 (3,785)	6	4	231 (1,592)	293 (2,020)	2950	390 (2,688)
1,000 (3,785)	6	4	241 (1,661)	304 (2,096)	3000	390 (2,688)
500 (1,892)	6	4	234 (1,613)	295 (2,033)	2800	390 (2,688)
500 (1,892)	6	4	251 (1,730)	317 (2,185)	2900	390 (2,688)
500 (1,892)	6	4	260 (1,792)	329 (2,268)	2950	390 (2,688)
500 (1,892)	6	4	269 (1,854)	340 (2,344)	3000	390 (2,688)
750 (2,839)	6	4	225 (1,551)	281 (1,937)	2800	390 (2,688)
750 (2,839)	6	4	242 (1,668)	304 (2,096)	2900	390 (2,688)
750 (2,839)	6	4	251 (1,730)	316 (2,178)	2950	390 (2,688)
750 (2,839)	6	4	260 (1,792)	327 (2,254)	3000	390 (2,688)

UL Product iQ®

UL Solutions

WF-6x6x10 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-6x6x10 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
750 (2,839)	6	6	71 (489)	106 (730)	2800	275 (1,896)
750 (2,839)	6	6	79 (544)	117 (806)	2950	275 (1,896)
750 (2,839)	6	6	82 (565)	122 (841)	3000	275 (1,896)
750 (2,839)	6	6	112 (772)	170 (1,172)	3500	275 (1,896)
750 (2,839)	6	6	115 (792)	175 (1,206)	3550	275 (1,896)
1,000 (3,785)	6	6	67 (461)	103 (710)	2800	275 (1,896)
1,000 (3,785)	6	6	75 (517)	117 (806)	2950	275 (1,896)
1,000 (3,785)	6	6	78 (537)	121 (834)	3000	275 (1,896)
1,000 (3,785)	6	6	107 (737)	167 (1,151)	3500	275 (1,896)
1,000 (3,785)	6	6	111 (765)	172 (1,185)	3550	275 (1,896)
1,250 (4,731)	6	6	60 (413)	101 (696)	2800	275 (1,896)
1,250 (4,731)	6	6	68 (468)	112 (772)	2950	275 (1,896)
1,250 (4,731)	6	6	71 (489)	116 (799)	3000	275 (1,896)
1,250 (4,731)	6	6	104 (717)	162 (1,116)	3500	275 (1,896)
1,250 (4,731)	6	6	108 (744)	167 (1,151)	3550	275 (1,896)
1,500 (5,677)	6	6	68 (468)	112 (772)	3000	275 (1,896)
1,500 (5,677)	6	6	96 (661)	160 (1,103)	3500	275 (1,896)
1,500 (5,677)	6	6	99 (682)	165 (1,137)	3550	275 (1,896)

UL Product iQ®

UL Solutions

WF-8x4x16HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-8x4x16HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
1,000 (3,785)	8	4	210 (1,447)	257 (1,771)	2950	385 (2,654)
1,000 (3,785)	8	4	218 (1,503)	267 (1,840)	3000	395 (2,723)
400 (1,514)	8	4	220 (1,516)	264 (1,820)	2800	355 (2,447)
400 (1,514)	8	4	246 (1,696)	294 (2,027)	2950	385 (2,654)
400 (1,514)	8	4	254 (1,751)	305 (2,102)	3000	395 (2,723)
500 (1,892)	8	4	215 (1,482)	259 (1,785)	2800	355 (2,447)
500 (1,892)	8	4	240 (1,654)	289 (1,992)	2950	385 (2,654)
500 (1,892)	8	4	248 (1,709)	299 (2,061)	3000	395 (2,723)
750 (2,839)	8	4	202 (1,392)	246 (1,696)	2800	355 (2,447)
750 (2,839)	8	4	227 (1,565)	275 (1,896)	2950	385 (2,654)
750 (2,839)	8	4	236 (1,627)	285 (1,965)	3000	395 (2,723)

UL Product iQ®

UL Solutions

WF-8x4x17HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-8x4x17HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
1,000 (3,785)	8	4	230 (1,585)	293 (2,020)	2950	420 (2,895)
1,000 (3,785)	8	4	240 (1,654)	305 (2,102)	3000	420 (2,895)
500 (1,892)	8	4	272 (1,875)	334 (2,302)	2950	420 (2,895)
500 (1,892)	8	4	282 (1,944)	346 (2,385)	3000	420 (2,895)
750 (2,839)	8	4	253 (1,744)	316 (2,178)	2950	420 (2,895)
750 (2,839)	8	4	262 (1,806)	328 (2,261)	3000	420 (2,895)

UL Product iQ®

UL Solutions

WF-8x5x11 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-8x5x11 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
1,000 (3,785)	8	5	116 (799)	173 (1,192)	2800	250 (1,723)
1,000 (3,785)	8	5	121 (834)	173 (1,192)	2900	250 (1,723)
1,000 (3,785)	8	5	129 (889)	193 (1,330)	2950	290 (1,999)
1,000 (3,785)	8	5	134 (923)	200 (1,378)	3000	290 (1,999)
1,000 (3,785)	8	5	183 (1,261)	272 (1,875)	3500	350 (2,413)
1,250 (4,731)	8	5	92 (634)	143 (985)	2600	250 (1,723)
1,250 (4,731)	8	5	109 (751)	169 (1,165)	2800	250 (1,723)
1,250 (4,731)	8	5	120 (827)	174 (1,199)	2900	250 (1,723)
1,250 (4,731)	8	5	123 (848)	189 (1,303)	2950	290 (1,999)
1,250 (4,731)	8	5	127 (875)	195 (1,344)	3000	290 (1,999)
1,250 (4,731)	8	5	177 (1,220)	267 (1,840)	3500	350 (2,413)
1,500 (5,677)	8	5	112 (772)	170 (1,172)	2900	250 (1,723)
1,500 (5,677)	8	5	116 (799)	182 (1,254)	2950	290 (1,999)
1,500 (5,677)	8	5	121 (834)	189 (1,303)	3000	290 (1,999)
750 (2,839)	8	5	103 (710)	152 (1,048)	2600	250 (1,723)
750 (2,839)	8	5	120 (827)	177 (1,220)	2800	250 (1,723)
750 (2,839)	8	5	133 (917)	197 (1,358)	2950	290 (1,999)
750 (2,839)	8	5	138 (951)	204 (1,406)	3000	290 (1,999)
750 (2,839)	8	5	183 (1,261)	275 (1,896)	3500	350 (2,413)
1,000 (3,785)	8	5	98 (675)	148 (1,020)	2600	250 (1,723)
1,500 (5,677)	8	5	175 (1,206)	262 (1,806)	3500	350 (2,413)

UL Product iQ®

UL Solutions

WF-8x5x14HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-8x5x14HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
1,000 (3,785)	8	5	172 (1,185)	268 (1,847)	2800	360 (2,482)
1,000 (3,785)	8	5	193 (1,330)	299 (2,061)	2950	390 (2,688)
1,000 (3,785)	8	5	200 (1,378)	310 (2,137)	3000	400 (2,757)
1,250 (4,731)	8	5	181 (1,247)	291 (2,006)	2950	390 (2,688)
1,250 (4,731)	8	5	189 (1,303)	302 (2,082)	3000	390 (2,688)

UL Product iQ®

UL Solutions

WF-8x6x11 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-8x6x11 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
1,500 (5,677)	8	6	104 (717)	144 (992)	2800	245 (1,689)
1,500 (5,677)	8	6	112 (772)	154 (1,061)	2900	245 (1,689)
1,500 (5,677)	8	6	117 (806)	160 (1,103)	2950	245 (1,689)
1,500 (5,677)	8	6	121 (834)	165 (1,137)	3000	245 (1,689)
1,500 (5,677)	8	6	153 (1,054)	193 (1,330)	3500	245 (1,689)

UL Product iQ®

UL Solutions

WF-8x6x11HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-8x6x11HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
2,000 (7,570)	8	6	114 (786)	159 (1,096)	2950	245 (1,689)
2,000 (7,570)	8	6	118 (813)	165 (1,137)	3000	245 (1,689)
2,000 (7,570)	8	6	149 (1,027)	188 (1,296)	3500	245 (1,689)

UL Product iQ®

UL Solutions

WF-8x6x14HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-8x6x14HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
1,500 (5,677)	8	6	155 (1,068)	215 (1,482)	2950	300 (2,068)
1,500 (5,677)	8	6	161 (1,110)	223 (1,537)	3000	300 (2,068)
2,000 (7,570)	8	6	141 (972)	200 (1,378)	2950	300 (2,068)
2,000 (7,570)	8	6	147 (1,013)	209 (1,441)	3000	300 (2,068)

UL Product iQ®

UL Solutions

WF-8x6x18 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-8x6x18 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
1,250 (4,731)	8	6	112 (772)	128 (882)	1780	330 (2,275)
1,250 (4,731)	8	6	115 (792)	131 (903)	1800	330 (2,275)
1,250 (4,731)	8	6	149 (1,027)	179 (1,234)	2100	330 (2,275)
1,250 (4,731)	8	6	189 (1,303)	226 (1,558)	2350	330 (2,275)
1,250 (4,731)	8	6	190 (1,310)	228 (1,572)	2360	330 (2,275)
1,500 (5,677)	8	6	108 (744)	124 (854)	1780	330 (2,275)
1,500 (5,677)	8	6	111 (765)	127 (875)	1800	330 (2,275)
1,500 (5,677)	8	6	145 (999)	177 (1,220)	2100	330 (2,275)
1,500 (5,677)	8	6	185 (1,275)	223 (1,537)	2350	330 (2,275)
1,500 (5,677)	8	6	187 (1,289)	225 (1,551)	2360	330 (2,275)
2,000 (7,570)	8	6	100 (689)	116 (799)	1780	330 (2,275)
2,000 (7,570)	8	6	103 (710)	119 (820)	1800	330 (2,275)
2,000 (7,570)	8	6	134 (923)	167 (1,151)	2100	330 (2,275)
2,000 (7,570)	8	6	173 (1,192)	215 (1,482)	2350	330 (2,275)
2,000 (7,570)	8	6	175 (1,206)	217 (1,496)	2360	330 (2,275)
2,500 (9,462)	8	6	135 (930)	154 (1,061)	2100	330 (2,275)
2,500 (9,462)	8	6	159 (1,096)	202 (1,392)	2350	330 (2,275)
2,500 (9,462)	8	6	161 (1,110)	204 (1,406)	2360	330 (2,275)

UL Product iQ®

UL Solutions

WF-10x8x18 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-10x8x18 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
2,000 (7,570)	10	8	151 (1,041)	202 (1,392)	2100	290 (1,999)
2,500 (9,462)	10	8	146 (1,006)	197 (1,358)	2100	290 (1,999)
3,000 (11,355)	10	8	139 (958)	191 (1,316)	2100	290 (1,999)
3,500 (13,247)	10	8	139 (958)	183 (1,261)	2100	290 (1,999)

UL Product iQ®

UL Solutions

WF-10x8x23 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-10x8x23 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
2,000 (7,570)	10	8	102 (703)	211 (1,454)	1750	290 (1,999)
2,000 (7,570)	10	8	106 (730)	219 (1,509)	1780	290 (1,999)
2,500 (9,462)	10	8	96 (661)	204 (1,406)	1750	290 (1,999)
2,500 (9,462)	10	8	100 (689)	212 (1,461)	1780	290 (1,999)
3,000 (11,355)	10	8	119 (820)	195 (1,344)	1750	290 (1,999)
3,000 (11,355)	10	8	99 (682)	203 (1,399)	1780	290 (1,999)
3,500 (13,247)	10	8	154 (1,061)	182 (1,254)	1750	290 (1,999)
3,500 (13,247)	10	8	161 (1,110)	190 (1,310)	1780	290 (1,999)

UL Product iQ®

UL Solutions

WF-10x8x26 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-10x8x26 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
2,000 (7,570)	10	8	89 (613)	188 (1,296)	1470	290 (1,999)
2,000 (7,570)	10	8	93 (641)	197 (1,358)	1500	290 (1,999)
2,500 (9,462)	10	8	84 (579)	178 (1,227)	1470	290 (1,999)
2,500 (9,462)	10	8	88 (606)	186 (1,282)	1500	290 (1,999)
3,000 (11,355)	10	8	107 (737)	166 (1,144)	1470	290 (1,999)
3,000 (11,355)	10	8	113 (779)	174 (1,199)	1500	290 (1,999)

UL Product iQ®

UL Solutions

WF-12x10x22 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-12x10x22 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
3,500 (13,247)	12	10	134 (923)	183 (1,261)	1780	300 (2,068)
4,000 (15,140)	12	10	130 (896)	173 (1,192)	1780	300 (2,068)
4,500 (17,032)	12	10	126 (868)	171 (1,179)	1780	300 (2,068)
5,000 (18,925)	12	10	121 (834)	168 (1,158)	1780	300 (2,068)

UL Product iQ®

UL Solutions

WF-12x10x26 HS - Centrifugal Fire Pumps, Split Case

Centrifugal Fire Pumps, Split Case

File Number: EX27103

COMPANY

WATERFALL PUMPS MANUFACTURING
Al T'tay, Warehouse no. 1-5,Plot No.2840764
Warehouse no.1-3, Plot No. 2840474
Dubai, 446054 United Arab Emirates

MODEL INFO

WF-12x10x26 HS
Centrifugal Fire Pumps, Split Case, Single Stage

RATING DETAILS

Rated Capacity, GPM (L/Min)	Inlet Size, in.	Outlet Size, in.	Minimum Net Pressure Range, psig (kPa)	Maximum Net Pressure Range, psig (kPa)	Approx Speed, RPM	Max Working Pressure, psig (kPa)
3,500 (13,247)	12	10	121 (834)	161 (1,110)	1480	300 (2,068)
4,000 (15,140)	12	10	118 (813)	158 (1,089)	1480	300 (2,068)
4,500 (17,032)	12	10	112 (772)	154 (1,061)	1480	300 (2,068)
5,000 (18,925)	12	10	106 (730)	146 (1,006)	1480	300 (2,068)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."